Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	( event with (remote near4 devices) with consumer).ab.	USPAT	OR	OFF	2005/03/09 10:06
S2	0	( event with (remote near4 devices) with consumer\$1)	USPAT	OR	OFF	2004/04/05 13:30
S3	0	( event with (remote near4 devices) same consumer\$1)	USPAT	OR	OFF	2004/04/05 13:30
S4	0	( event\$1 with (remote near4 devices) same consumer\$1)	USPAT	OR	OFF	2004/04/05 13:44
S5	200	(719/318).CCLS.	USPAT; USOCR	OR	OFF	2004/04/05 13:45
S6	0	((719/318).CCLS.) & ( remote with (device\$1 or computer\$1) with event\$1).ab.	USPAT	OR	OFF	2004/04/05 13:46
<b>S7</b>	10	((719/318).CCLS.) & ( remote with (device\$1 or computer\$1) with event\$1)	USPAT	OR	OFF	2004/04/05 13:46
S53	1	( "6,615,172" B2).pn.	USPAT	OR	OFF	2005/03/07 11:23
S54	3	( browser\$1 same DOM same (synchroniz\$6 or concurrent\$6 or	USPAT	OR	OFF	2005/03/07 11:28
S55	52	parallel\$6)) ( browser\$1 same DOM & (synchroniz\$6 or concurrent\$6 or parallel\$6))	USPAT	OR	OFF	2005/03/07 11:28
S56	7	( browser\$1 same DOM same API & (synchroniz\$6 or concurrent\$6 or parallel\$6))	USPAT	OR	OFF	2005/03/07 11:32
S57	1	( browser\$1 same DOM same wrapp\$6 & (synchroniz\$6 or concurrent\$6 or parallel\$6))	USPAT	OR	OFF	2005/03/07 11:35
S58	12	( browser\$1 same DOM same call\$6 & (synchroniz\$6 or concurrent\$6 or parallel\$6))	USPAT	OR	OFF	2005/03/08 10:18
S59	1	( "6,418,464" B1).pn.	USPAT	OR	OFF	2005/03/09 10:00
S60	12.	( accept\$6 same receiv\$6 same (single or only) same client\$1 & server\$1).ab.	USPAT	OR	OFF	2005/03/09 10:15
S61	194	( accept\$6 same receiv\$6 same handl\$3 or listen\$3 same client\$1 & server\$1).ab.	USPAT	OR	OFF	2005/03/09 10:16
S62	0	( accept\$6 same receiv\$6 same handl\$3 same listen\$3 same client\$1 & server\$1).ab.	USPAT	OR	OFF	2005/03/09 10:16
S63	5	( accept\$6 same receiv\$6 same handl\$3 same client\$1 & server\$1). ab.	USPAT	OR	OFF	2005/03/09 10:25

S64	0	( accept\$6 same receiv\$6 same handl\$3 same thread\$3 same server\$1).ab.	USPAT	OR	OFF	2005/03/09 10:26
S65	0	( accept\$6 same receiv\$6 same handl\$3 same socket\$1 same server\$1).ab.	USPAT	OR	OFF	2005/03/09 11:08
S66	5	( accept\$6 same receiv\$6 same handl\$3 same server\$1 same client\$1 ).ab.	USPAT	OR	OFF	2005/03/09 11:08
S67	51	( accept\$6 same receiv\$6 same server\$1 same client\$1 ).ab.	USPAT	OR	OFF	2005/03/09 11:10
S68	4	S67 & handl\$6 same list\$6	USPAT	OR	OFF	2005/03/09 11:11
S69		( accept\$6 same receiv\$6 same server\$1 same client\$1 & redund\$6 ).ab.	USPAT	OR	OFF	2005/03/09 11:24
S70	9	S67 & redund\$6	USPAT	OR	OFF	2005/03/09 11:17
S71	5	S67 & asynchronous	USPAT	OR	OFF	2005/03/09 11:22
S72	0	( asynchronous\$6 same ( handl\$6 or listen\$6) same server\$1 same client\$1 & redund\$6 ).ab.	USPAT	OR	OFF	2005/03/09 11:25
S73	2	( ( handl\$6 or listen\$6) same server\$1 same client\$1 & redund\$6 ).ab.	USPAT	OR	OFF	2005/03/09 11:25
S74	241	( ( handl\$6 or listen\$6) same server\$1 same client\$1 ).ab.	USPAT	OR	OFF	2005/03/09 11:26
S75	4	( ( handl\$6 same listen\$6) same server\$1 same client\$1 ).ab.	USPAT	OR	OFF	2005/03/09 11:41
S76	0	( ( handl\$6 same listen\$6) same sockect\$1 same thead\$1 same asynchronous same server\$1 same client\$1 )	USPAT	OR	OFF	2005/03/09 11:42
S77	0	((handl\$6 same listen\$6) same sockect\$1 same thead\$1 same server\$1 same client\$1)	USPAT	OR	OFF	2005/03/09 11:43
S78	0	( ( handl\$6 same listen\$6) same socket\$1 same thead\$1 same server\$1 same client\$1 )	USPAT	OR	OFF	2005/03/09 11:43
S79	28	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 )	USPAT	OR	OFF	2005/03/09 11:43
S80	1	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 ) & redundant\$1	USPAT	OR	OFF	2005/03/09 11:44
S81	25	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 ) & single	USPAT	OR	OFF	2005/03/09 11:44

S82	10	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 ) & single & asynchronous	USPAT	OR	OFF	2005/03/09 11:46
S83	10	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 ) & asynchronous	USPAT	OR	OFF	2005/03/09 11:46
S84	28	( ( handl\$6 same listen\$6) same socket\$1 same thread\$1 same server\$1 same client\$1 )	USPAT	OR	OFF	2005/03/09 11:59
S85	776177	( ( handl\$6 or listen\$6) redun\$6 same server\$1 same client\$1 )	USPAT	OR	OFF	2005/03/09 12:00
S86	16	( ( handl\$6 or listen\$6) with redun\$6 same server\$1 same client\$1)	USPAT	OR	OFF	2005/03/09 12:03
<b>S87</b>	0	( thread\$3 with redudan\$3 ) same client same server\$3 same (connect\$6 or request\$3)	USPAT	OR	OFF	2005/03/09 12:05
S88	53	( thread\$3 with only ) same client same server\$3 same (connect\$6 or request\$3)	USPAT	OR	OFF	2005/03/09 12:05
S89	33	( thread\$3 with only with one ) same client same server\$3 same (connect\$6 or request\$3)	USPAT	OR	OFF	2005/03/09 12:06
S90	15	( thread\$3 with only with one ) with (connect\$6 or request\$3) same client same server\$3	USPAT	OR	OFF	2005/03/09 12:19
.S91	38	(thread\$3 with only with one) same client same server\$3	USPAT	OR	OFF	2005/03/09 12:19
S92	39	( thread\$3 with only with one ) same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:32
S93	172	( ( accept\$3 or receiv\$6) with only with one ) same client\$1 same server\$3	USPAT	OR	OFF .	2005/03/09 12:33
S94	8	( ( accept\$3 or receiv\$6) with only with one ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:46
S95	0	( ( accept\$3 ) with only with one ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:34
S96	17	( ( accept\$3 ) with only with one ) same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:34
S97	3	( ( accept\$3 ) with only with one ) same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:35
S98	3	( ( listen\$1 ) with only with one ) same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:35

S99	1	( ( listen\$1 ) with continuous ) same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:37
S10 0	2	( ( listen\$1 ) with continuous ) same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:36
S10 1	8	( ( listen\$1 ) with single\$1 ) same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:37
S10 2	59	( single with operation ) same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:37
S10 3	1	( single with operation ) with thread\$1 same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:42
S10 4	<b>2</b>	(operation with (listen\$3 or handl\$6) ) with thread\$1 same client\$1 same server\$3 & socket\$1	USPAT	OR	OFF	2005/03/09 12:44
S10 5	6	( operation with (listen\$3 or handl\$6) ) with thread\$1 same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:44
S10 6	2	( call\$1 with only with one ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:58
S10 7	24	( call\$1 with single ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:47
S10 8	0	( call\$1 with single ) same client\$1 same server\$3 same thread\$1 & socket41	USPAT	OR	OFF	2005/03/09 12:47
S10 9	5	( call\$1 with single ) same client\$1 same server\$3 same thread\$1 & socket\$1	USPAT	OR	OFF	2005/03/09 12:48
S11 0	24	(call\$1 with single) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:48
S11 1	17	( call\$1 near6 single ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:55
S11 2	2	( receiv\$6 near6 single )with thread\$1 same client\$1 same	USPAT	OR	OFF	2005/03/09 12:56
		server\$3			. 4	
S11 3	4	( (function or operation ) near6 single )with thread\$1 same client\$1 same server\$3	USPAT	OR	OFF	2005/03/09 12:57
S11 4	2	( ( function or operation ) with only with one ) same client\$1 same server\$3 same thread\$1	USPAT	OR	OFF	2005/03/09 12:59
S11 5	9	asynchronous same socket\$1 with connection same thread\$3	USPAT	OR	OFF	2005/03/09 13:06
S11 6	13	socket\$1 with connection same thread\$3 same API	USPAT	OR	OFF	2005/03/09 13:16
S11 7	5	socket\$1 with (connections or requests) same thread\$3 same API	USPAT	OR	OFF	2005/03/09 13:19

S11 8	2	socket\$1 same (connections or requests) with thread\$3 with API	USPAT	OR	OFF	2005/03/09 13:20
S11 9	396	socket\$1 same (connections or requests) with thread\$3	USPAT	OR	OFF	2005/03/09 13:21
S12 0	9	socket\$1 same (connections or requests) with single with thread\$3	USPAT	OR	OFF	2005/03/09 13:24
S12 1	1	socket\$1 same (connections or requests) with continuous with thread\$3	USPAT	OR	OFF	2005/03/09 13:24
S12 2	9	socket\$1 same (connections or requests) with only with thread\$3	USPAT	OR	OFF	2005/03/09 13:56
S12 3	3.	socket\$1 same (connections or requests) with call\$3 with thread\$3	USPAT	OR	OFF	2005/03/09 13:59
S12 4	13	socket\$1 same (connections or requests) with accept\$6 with thread\$3	USPAT	OR	OFF	2005/03/09 14:06
S12 5	11	socket\$1 same (connections or requests) with receive with thread\$3	USPAT	OR	OFF	2005/03/09 14:08
S12 6	11	socket\$1 same (connections or requests) with (function or operation) with thread\$3	USPAT	OR	OFF	2005/03/09 14:08
S12 7	119	socket\$1 same (connections or requests) with call\$1	USPAT	OŔ	OFF	2005/03/09 14:08
S12 8	9	socket\$1 same (connections or requests) with call\$1 same thread\$1	USPAT	OR	OFF	2005/03/09 15:19
S12 9	38	socket\$1 & (connections or requests) with call\$1 same thread\$1	USPAT	OR	OFF	2005/03/09 15:21
S13 0	15	socket\$1 & (connections or requests) with call\$1 with thread\$1	USPAT	OR	OFF	2005/03/09 15:44
S13 1	69	(connections or requests) with call\$1 with thread\$1	USPAT	OR	OFF	2005/03/09 15:56
S13 2	15	(connections or requests) with call\$1 with thread\$1 & socket\$1	USPAT	OR	OFF	2005/03/09 15:56
S13 3	69	(connections or requests) with call\$1 with thread\$1	USPAT	OR	OFF	2005/03/09 17:26
S13 4	12	( (connections or requests) same call\$1 same thread\$1 ).ab.	USPAT	OR	OFF	2005/03/09 16:04
S13 5	17	(connections or requests) same thread\$1 same accept\$3 same receiv\$3 same socket\$1	ÜSPAT	OR	OFF	2005/03/09 17:32
S13 6	1	(connections or requests) same thread\$1 same ( winsock near2 API)	USPAT	OR	OFF	2005/03/09 17:33

	T					
S13 7	2	(connections or requests) & thread\$1 same ( winsock near2 API)	USPAT	OR	OFF	2005/03/09 17:33
S13 8	161	(connections or requests) same thread\$1 same ( API)	USPAT	OR	OFF	2005/03/09 17:34
S13 9	9	(connections or requests) same thread\$1 same ( API) same socket\$1	USPAT	OR	OFF	2005/03/09 17:36
S14 0	2	thread\$1 same ( API) with ( multiple or plurality or different) same socket\$1	USPAT	OR	OFF	2005/03/09 17:39
S14 1	6	thread\$1 same ( API) same ( multiple or plurality or different) same socket\$1	USPAT	OR	OFF	2005/03/09 17:40
S14 2	166	( accept\$3 or listen\$1) with (API or call\$6) with (connections or	ŪSPAT	OR	OFF	2005/03/09 17:41
- P.F.	15 VY	requets)		de de la composition della com		
S14 3	16	( accept\$3 same listen\$1) with (API or call\$6) with (connections or requets)	USPAT	OR	OFF	2005/03/09 17:48
S14 4	35	(listen\$1) with (API or call\$6) with (connections or requets)	USPAT	OR #	OFF	2005/03/09 17:53
S14 5	137	( single near6 (API or call\$6) ) with (connections or requets)	USPAT	OR	OFF	2005/03/09 17:53
S14 6	0	(single near6 (API or call\$6)) with (connections or requets) same accept46 same listen\$1	USPAT	OR	OFF	2005/03/09 17:53
S14 7	0	( single near6 (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1	USPAT	OR	OFF	2005/03/09 17:56
S14 8	2.	( single near6 (API or call\$6) ) with (connections or requets) same accept\$6	USPAT	OR	OFF	2005/03/09 17:54
S14 9	0	( single near6 (API or call\$6) ) with (connections or requets) same thread\$1	USPAT	OR	OFF	2005/03/09 17:54
S15 0	0	('single near6 (API or call\$6)) with (connections or requets) same	#USPAT#	OR	OFF.	2005/03/09 17:55
7 7	14 1 1 1 1 1	socket\$6	a Wales	raiki endî		
S15 1	9	( single near6 (API or call\$6) ) with (connections or requets) same client\$1	USPAT	OR	OFF	2005/03/09 17:55
S15 2	0	( only near6 (API or call\$6)) with (connections or requets) same accept\$6 same listen\$1	USPAT	OR	OFF	2005/03/09 17:57
S15 3	1	( one near6 (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1	USPAT	OR	OFF	2005/03/09 17:57

S15 4	25	( (API or call\$6) ) with (connections or requets) same accept\$6 same listen\$1	USPAT	OR	OFF	2005/03/14 10:47
S15 5	2	(buffer\$3 with request\$3 with size same client\$1).ab.	USPAT	OR	OFF	2005/03/14 11:11
S15 6	3	(buffer\$3 with size same client\$1 with request\$3 ).ab.	USPAT	OR	OFF	2005/03/14 10:52
S15 7	27	(buffer\$3 with size with request\$3 ).ab.	USPAT	OR	OFF	2005/03/14 10:52
S15 8	60	(buffer\$3 with request\$3 with size same client\$1)	USPAT	OR	OFF	2005/03/14 10:53
S15 9	1	(buffer\$3 with request\$3 with size with "same" same client\$1)	USPAT	OR	OFF :	2005/03/14 10:58
S16 0	10	(buffer\$3 with request\$3 with size with " same" & client\$1)	USPAT	OR	OFF	2005/03/14 11:03
S16 1	4	(buffer\$3 with request\$3 with " same size" & client\$1)	USPAT	OR	OFF	2005/03/14 11:14
S16 2	11	(buffer\$3 with request\$3 with " same size")	USPAT	OR	OFF	2005/03/14 11:08
S16 3	.0	(buffer\$3 with " same size" with stor\$3 same client\$1 )	USPAT	OR	OFF	2005/03/14 11:10
S16 4	1	(buffer\$3 with " same size" same client\$1)	USPAT	OR	OFF	2005/03/14 11:10
S16 5	522	(buffer\$3 with " same size" )	USPAT	OR	OFF	2005/03/14.11:10
S16 6	65	(buffer\$3 with " same size" with stor\$3)	USPAT	OR	OFF	2005/03/14 11:10
S16 7	60	(buffer\$3 with request\$3 with size same client\$1)	USPAT	OR	OFF	2005/03/14 11:14
S16 8	56	(buffer\$3 near5 size\$1 with request\$3 same client\$1)	USPAT	OR	OFF	2005/03/14 11:14
S16 9	1	(buffer\$3 with message\$1 with "same size" & client\$1)	USPAT	OR	OFF	2005/03/14 11:16
S17 0	3	(buffer\$3 with message\$1 with " same size" & server\$1 )	USPAT	OR	OFF	2005/03/14 11:17
S17	4	(buffer\$3 with message\$1 with "	USPAT	OR	OFF	2005/03/14 11:47
1	1 17 1. 1. 1	same size")	LICOAT		٥٢٢	2005/02/14 16:27
S17 2	1	( "6,175,879" b1).pn.	USPAT	OR	OFF	2005/03/14 16:27
S17 3	1	( "6,615,172" B1).pn.	USPAT	OR	OFF:	2005/03/14 16:31
S17	1	( "6,691,176" B1 ).pn.	USPAT	OR	OFF	2005/03/14 16:32
S17 5	1	( "6,317,794" b1 ).pn.	USPAT	OR	OFF	2005/03/14 17:26

S17 6	1	( "6,317,794" b1).pn.	USPAT	OR	OFF	2005/03/15 12:34
S17 7	-1	( "5,815709").pn.	USPAT	OR	OFF	2005/03/15 14:08
S17 8	1	( "5,815,709").pn.	USPAT	OR	OFF	2005/03/15 14:10
S17 9	1	( "5,615400").pn.	USPAT	OR	OFF	2005/03/15 15:50
S18 0	2	( library with (id or identif\$6) with compatibil\$6).ab.	USPAT	OR	OFF	2005/03/15 15:52
S18	.0	(library with (id or identif\$6) same dynamic\$6 & compatibil\$6).ab.	USPAT	OR	OFF	2005/03/15 15:52
S18 2	. 19	( librar\$3 with (id or identif\$6) with dynamic\$6 & compatibil\$6) "."	USPAT	OR	OFF	2005/03/15 15:53
S18 3	0	( librar\$3 with (id or identif\$6) with dynamic\$6 same compatibil\$6)	USPAT **	OR	OFF	2005/03/15 15:53
S18 4	0	( librar\$3 with (id or identif\$6) with dynamic\$6 same incompatibil\$6)	USPAT	OR	OFF	2005/03/15 15:53
S18 5	19	( librar\$3 with (id or identif\$6) with dynamic\$6 & compatibil\$6)	USPAT	OR	OFF	2005/03/15 17:06
S18 6	1	( "5,615,400").pn.	USPAT	OR	OFF	2005/03/15 17:07